





Light Zinc:

Light Zinc is a cold galvanizer with high molecular weight. It chemically solidifies producing a long-lasting metal coating. It protects all metal surfaces from oxidation. It forms a resistant layer which can be painted or left as a final finish protection. It is ideal for retouching, finishing, and repairing galvanized parts where a light grey coat is required.

Available in two formats:

- Z350 400 ml spray can
- Z354 1kg can

Technical Specifications:

Quantity	400ml
Box / Case	12 pcs
Barcode	EAN 13 8034108890340
Aspect	Tin-Plate can containing under pressure fluid
Physical state	Pigmented liquid in aerosol
Flash point	Und. 0° C extremely flammable
Pressure	at 20°C 5,5 bar
Relative density	at 20°C 0,71 ÷ 0,75 g/ml
Propellant	LPG
Chemical nature	Synthetic resin with inhibiting pigment of
	corrosion based of zinc dust
Colour	Aluminum / light grey
Powder purity Zn	> 98%
Odour	Characteristic of solvent
Resistance temperature	300 °C (peak of 400 °C)
% Metal in the dry film	64 %
% Zinc in the dry film	12 %
Coverage	2/3 mq2
Drying times = 20°	Out dust: 10'
	Dry to touch: 20'
	Dry in depth: 6 hours
	Overpainted after 24 hours