

AMBRO-SOL®

Your Factory of Aerosol

SPRAY



Lamellar 98% Zinc HQ:

Cold galvanizer with high molecular weight, it chemically solidifies and it produces a long lasting metal coating. It protects all metal surfaces from oxidation. It even forms a resistant layer which can be painted over or left as a final protection. It is ideal for retouching, finishing or repairing of galvanized parts where a clear semi-gloss retouch is needed.

Available in one format:

- Z358 – 500 ml spray can

Technical Specifications:

Quantity	500 ml
Box / Case	12 pcs
Barcode	EAN 13 8034108893419
Aspect	Tin-Plate can containing under pressure fluid
Physical state	Pigmented liquid in aerosol
Flash point	Und. 0° C extremely flammable
Pressure	at 20°C 5,5 bar
Relative density	at 20°C 0,71 ÷ 0,75 g/ml
Propellant	LPG
Chemical nature	Synthetic resin with inhibiting pigment of corrosion based on lamella zinc paste
Colour	Aluminum / semi light grey
Powder purity Zn	> 98%
% Metal in dry film	67 %
% Zinc in dry film	48 %
Odour	Characteristic of solvent
Resistance temperature	300 °C (peak 400 °C)
Cylinder yield	2/3 mq2
Drying times = 20°	Out dust: 15' Dry to touch: 30' Dry in depth: 8 ore Overpainted after 12 hours